

| | Hits | Search Text | DBs |
|----|------|---|----------------------------|
| 1 | 0 | (edit\$4 near2 document\$2) and (modular near2 key near2 set) and ((microprocessor near input\$output) with code) | USPAT; US-PGPUB |
| 2 | 2 | (edit\$4 near2 document\$2) and (modular near2 key near2 set) | USPAT; US-PGPUB |
| 3 | n | (edit\$4 near2 document\$2) and (modular near2 key near2 set) | EPO; JPO; DERWENT; IBM TDB |
| 4 | 0 | (edit\$4 near2 document\$2) and ((microprocessor near input\$output) with code) | USPAT; US-PGPUB |
| 5 | 204 | (edit\$4 near2 document\$2) and (key near2 set) | USPAT; US-PGPUB |
| 6 | 5 | (edit\$4 near2 document\$2) with (key near2 set) | USPAT; US-PGPUB |
| 7 | 6 | (edit\$4 near2 document\$2) same (key near2 set) | USPAT; US-PGPUB |
| 8 | 7 | (edit\$4 near2 document\$2) same (key near2 set) | EPO; JPO; DERWENT; IBM TDB |
| 9 | 15 | (edit\$4 near2 document\$2) and (key near2 set) | EPO; JPO; DERWENT; IBM TDB |
| 10 | 143 | ((edit\$4 near2 document\$2) and (key near2 set)) and copy | USPAT; US-PGPUB |
| 11 | 21 | ((edit\$4 near2 document\$2) and (key near2 set)) and paste | USPAT; US-PGPUB |
| 12 | 15 | (edit\$4 near2 document\$2) and (key near2 set) | EPO; JPO; DERWENT; IBM TDB |
| 13 | 20 | (edit\$4 near2 document\$2) and (key near2 set) and (copy and paste) | USPAT; US-PGPUB |
| 14 | 16 | (edit\$4 near2 document\$2) and (key near2 set) and (copy near5 paste) | USPAT; US-PGPUB |
| 15 | 0 | (edit\$4 near2 document\$2) and (key near2 set) and (copy near5 paste) | EPO; JPO; DERWENT; IBM TDB |
| 16 | 2 | (edit\$4 near2 document\$2) and (key near2 set) and (copy near5 paste near5 cut near5 mark) | USPAT; US-PGPUB |
| 17 | 10 | (edit\$4 near2 document\$2) and (key near2 set) and (copy near5 paste near5 cut) | USPAT; US-PGPUB |
| 18 | 3 | (edit\$4 near2 document\$2) and (copy near5 paste) | EPO; JPO; DERWENT; IBM TDB |
| 19 | 204 | (edit\$4 near2 document\$2) and (key near2 set) | USPAT; US-PGPUB |
| 20 | 20 | (edit\$4 near2 document\$2) and (key near2 set) and (copy and paste) | USPAT; US-PGPUB |
| 21 | 54 | ((edit\$4 near2 document\$2) and (key near2 set)) and cut | USPAT; US-PGPUB |
| 22 | 1 | 6401065.pn. | USPAT; US-PGPUB |

| | Hits | Search Text | DBs |
|----|------|---|----------------------------|
| 23 | 0 | 6401065.URPN. | USPAT |
| 24 | 0 | 6401065.URPN. | USPAT |
| 25 | 10 | ("5180029" "5588105" "5608624" "5621809" "5761329" "5839104" "5937380" "6054990" "6219639" "6246985").PN. | USPAT |
| 26 | 227 | (edit\$4 near2 (document\$2 text)) and (copy with cut with paste) | USPAT; US-PGPUB |
| 27 | 3 | (edit\$4 near2 (document\$2 text)) and (copy with cut with paste with mark) | USPAT; US-PGPUB |
| 28 | 0 | (edit\$4 near2 (document\$2 text)) and (copy with cut with paste with mark) | EPO; JPO; DERWENT; IBM_TDB |
| 29 | 6 | (edit\$4 near2 (document\$2 text)) and (copy with cut with paste) | EPO; JPO; DERWENT; IBM_TDB |
| 30 | 6 | (edit\$4 near2 (document\$2 text)) and (copy with cut with paste) and (microprocessor with code) | USPAT; US-PGPUB |
| 31 | 6 | (edit\$4 near2 (document\$2 text)) and (copy with cut with paste) and (microprocessor) | EPO; JPO; DERWENT; IBM_TDB |
| 32 | 63 | (edit\$4 near2 (document\$2 text)) and (copy with cut with paste) and (microprocessor) | USPAT; US-PGPUB |
| 33 | 20 | (key near3 copy) and (key near3 paste) | USPAT; US-PGPUB |
| 34 | 2 | (key near3 copy) and (key near3 paste) | EPO; JPO; DERWENT; IBM_TDB |
| 35 | 15 | (key with copy) and (key with paste) and microprocessor | USPAT; US-PGPUB |
| 36 | 11 | (key with copy) and (key with paste) and microprocessor and edit | USPAT; US-PGPUB |
| 37 | 129 | short\$2cut adj key | USPAT; US-PGPUB |
| 38 | 120 | short\$1cut adj key | USPAT; US-PGPUB |
| 39 | 15 | short\$1cut adj key and (associat\$4 adj3 program) | USPAT; US-PGPUB |
| 40 | 52 | (switch adj key) with (functio\$3 adj key) | USPAT; US-PGPUB |
| 41 | 16 | (switch adj key) with (functio\$3 adj key) and LED | USPAT; US-PGPUB |
| 42 | 0 | microprocessor and ((code adj3 speed adj3 generation) near5 ("3" adj ms)) | USPAT; US-PGPUB |
| 43 | 0 | microprocessor and ((code adj3 speed adj3 generation) near5 ("2" adj ms)) | USPAT; US-PGPUB |
| 44 | 0 | microprocessor and ((code adj3 speed adj3 generation) same ("2" adj ms)) | USPAT; US-PGPUB |

| | Hits | Search Text | DBs |
|----|------|--|----------------------------|
| 45 | 0 | microprocessor and ((code adj3 speed adj3 generation) same (ms)) | USPAT; US-PGPUB |
| 46 | 0 | ((code adj3 speed adj3 generation) same (ms)) | USPAT; US-PGPUB |
| 47 | 0 | ((code adj3 speed adj3 generation) and (ms)) | USPAT; US-PGPUB |
| 48 | 3 | (code adj3 speed adj3 generation) | USPAT; US-PGPUB |
| 49 | 0 | keyboard and (code adj3 speed adj3 generation) | USPAT; US-PGPUB |
| 50 | 26 | keyboard and (code near5 speed near5 generation) | USPAT; US-PGPUB |
| 51 | 0 | keyboard with (code near5 speed near5 generation) | USPAT; US-PGPUB |
| 52 | 0 | keyboard same (code near5 speed near5 generation) | USPAT; US-PGPUB |
| 53 | 2 | (edit\$4 near2 (document\$2 text)) and (copy with cut with paste) and (single adj chip adj microprocessor) | USPAT; US-PGPUB |
| 54 | 0 | (edit\$4 near2 (document\$2 text)) and (copy with cut with paste) and (single adj chip adj microprocessor) | EPO; JPO; DERWENT; IBM_TDB |
| 55 | 23 | (edit\$4 near2 (document\$2 text)) and (single adj chip adj microprocessor) | USPAT; US-PGPUB |